

Government of Odisha  
Forest & Environment Department

\*\*\*\*\*

ODISHA COASTAL ZONE MANAGEMENT AUTHORITY  
1<sup>st</sup> Floor, Administrative Building,  
RPRC Campus, Nayapalli, Bhubaneswar- 751015  
Email – [oczma1@gmail.com](mailto:oczma1@gmail.com)

No. OCZMA/30/2021128/OCZMA Dt. 04.05.2021

From

Sri Susanta Nanda, IFS  
Director, Environment-cum-  
Special Secretary to Govt.  
and Member Secretary, OCZMA

To


Principal Secretary to Govt., H&UD Dept., Govt. of Odisha  
Commissioner-cum-Secretary to Govt., F&ARD Dept., Govt. of Odisha  
PCCF (WL) and Chief Wildlife Warden, Odisha  
Dr. B.R. Subramanian, Former Director, ICMAM Chennai  
Chairman / Member Secretary, OSPCB, Bhubaneswar  
Chief Executive, ORSAC, Bhubaneswar  
Chief Executive, Chilika Dev. Authority, Bhubaneswar  
Project Director, ICZM Project, Odisha  
CCF, Regional Office of MoEF&CC, Bhubaneswar  
Secretary, United Artists Association, Ganjam  
Professor of Geology, Utkal University, Bhubaneswar  
HoD of Marine Science, Berhampur University, Odisha

Sub: Proceedings of 37<sup>th</sup> meeting of the Odisha Coastal Zone Management Authority (OCZMA).

Sir,


I would like to transmit herewith the proceedings of 37<sup>th</sup> meeting of the Odisha Coastal Zone Management Authority held on 30.04.2021 at 11:00 am through virtual mode under the chairmanship of Addl. Chief Secretary, Forest & Env. Department and Chairman, OCZMA for your kind perusal and necessary action.

Yours faithfully,

  
Director, Environment-cum-  
Special Secretary to Govt. and  
Member Secretary, OCZMA

Memo No. 129/OCZMA Dt. 04.05.2021

Copy submitted to the Private Secretary to Additional Chief Secretary, Forest & Environment Department for kind information of ACS, Forest & Env. Department.

  
Director, Environment-cum-  
Special Secretary to Govt. and  
Member Secretary, OCZMA

## Proceedings of the 37<sup>th</sup> meeting of the Odisha Coastal Zone Management Authority (OCZMA) held on 30.04.2021 at 11.00 am through Virtual mode

---

The 37th meeting of the Odisha Coastal Zone Management Authority (OCZMA) was held on 30.04.2021 at 11.00 am under the Chairmanship of the Additional Chief Secretary to Govt., Forest & Environment Dept., Government of Odisha through virtual mode.

The list of members present is given in Annexure-I.

At the outset, Additional Chief Secretary to Govt., Forest & Environment Dept. and Chairman, OCZMA welcomed the members present for the meeting and congratulated the whole OCZMA team involved for preparation & updation of CZMP-2019 of Odisha.

### **A. Confirmation of the minutes of the 36<sup>th</sup> meeting of OCZMA held on 19.03.2021**

The minutes of the 36th meeting was sent to all the members vide letter no. 93/OCZMA Dt. 19.3.2021, since no response has been received, the minutes may be treated as confirmed.

### **B. Compliance of the decision taken in the last OCZMA Meeting.**

#### **Approval of coastal zone management plan of Odisha, 2019**

- NCSCM scrutinized the CZMP maps and land use maps of 7 coastal districts of Odisha in the 11th Technical Scrutiny Committee meeting held on 10.3.2021 and recommended the same to OCZMA for submission before the NCZMA for approval.
- OCZMA in its 36th meeting approved the CZMP maps and land use maps submitted by the NCSCM and decided to place the final CZMP before NCZMA, MoEF & CC, Government of India for final approval of CZMP, 2019.
- NCZMA in its 42nd meeting of held on 23.3.2021 approved the CZMP of Odisha and congratulated Odisha, being the first state for completing CZMP as per CRZ Notification, 2019.

### **C. Fresh Proposal:**

#### **1. Construction of Hotel for Department of Tourism by Padma Eastern Hotels at Gopalpur, Ganjam District.**

The proposed construction is a G+1 storied hotel building on land bearing plot no. 166/411 & 182/301, Khata no. 23/163 in mouza Udayapur under Gopalpur NAC. The total land area acquired for the proposed project is 3.25 Acre belonging to Department of Tourism. Padma Eastern Hotels Pvt. Ltd has taken the land on lease from Department of Tourism for a period of 30 years for construction, operation and maintenance of hotel building. As per design total 80 rooms is proposed. The ground floor area of the building will be 4485.6 sqm, first floor area covers 1781.67 sqm, with a parking area of 2912.28sqm. Thus the total built up area of the proposed building is 6267.3 sq.m. Height of the building is 9 mtrs. The cost of the Project is 10.00 Crore.

- a. The Water demand of the project is estimated to be 50 KLD and will be met from ground water Supply for which NOC from ground water Authority has been received. During operation phase, the solid waste generated will be handed over to the NAC solid waste collection agency. The effluent generated is estimated to be 20 KLD and will be released to the NAC sewerage drain after treatment. The Electricity demand of 200 KW will be sourced from TPCOLD.
- b. The geographical location of the project site is 190 15' 13.0"N & 840 85' 01.2"E. The project proponent submitted project location superimposed CRZ Map in 1:4000 scale prepared by NCSCM, Chennai, the authorised agency of MoEF & CC. The maps indicates that the project site is falling in CRZ-II area of Goalpur and is about 260 mtr from the HTL line.
- c. The building construction is a permissible activity in CRZ-II area as per CRZ Notification, 2011 and its subsequent amendment vide S.O.1955 dt. 15.6.2015, as stated below:

Para 8. II. CRZ-II (i) (i) "building shall be permitted only on the land ward side of the existing road or on the landward side of the existing authorised structures".

Para 8. II. "buildings permitted on the landward side of the existing and proposed roads or existing authorized structures shall be subject to the existing local town and country planning regulations as modified from time to time, except the Floor Space Index or Floor Area Ratio, which shall be as per 1991 level".

Proposed site is located on the land ward side of the existing authorised structures like Hotel Mayfair & Youth hostel Gopalpur.

The project does not attract Environment Clearance under EIA Notification, 2006, as the total built up area is less than 20,000 sq.m. The project requires approval from the Planning Authority after recommendation of Coastal Zone Management Authority as per Para 4(i) (d) of CRZ Notification, 2011.

OCZMA discussed the proposal and decided to grant clearance on CRZ clearance under CRZ Notification, 2011, with the following condition subject to final approval by Local Town Planning Authority.

The project proponent is to ensure that sand dunes in nearby areas should not be disturbed directly or indirectly in any manner during their project activity.

## **2. Construction of Youth Hostel Building at Gopalpur, Ganjam by Youth Hostel Association Trust, New Delhi.**

The proposed project is to provide the accommodation facilities to the members and volunteers of the Youth Association of states and country. The total area acquired for the proposed project is 1.4 Ac. involving G+1 storied building on the land over plot no. 217/445, Khata No. 23/205 Mouza-Udayapur, Tehsil-Berhampur, Dist-Ganjam. As per the drawing and design, the ground coverage of the building will be 969.08 sqm. and the first floor will be 822.48 sqm. The total built up area of the proposed building will be 1791.56 sqm with an FAR of 0.31. Height of the building will be 10.35 mtrs.

- a. Water demand of the project is estimated to be 20KLD and will be met from the Gopalpur NAC supply. The Electricity demand of the project is estimated to be approx.100 KW which will be sourced from TPCOLD. The solid waste generated during construction phase will be dumped in the low lying area and during operational phase it will be handed over to the Gopalpur NAC solid waste collection agency. The effluent generated is estimated to be 20KLD and will be released to the NAC sewerage drain.

The project proponent has not submitted the NOC from pollution control board.

- b. The GPS Co-ordinates of the project is  $84^{\circ} 54' 17.49''$ E &  $19^{\circ} 15' 24.96''$ N. The project proponent has submitted the CRZ Map no.7 in 1:25000 scale, indicating that the project site falls under CRZ-II area of Gopalpur.
- c. The building construction is a permissible activity in CRZ area as per CRZ Notification, 2011 and its subsequent amendment vide S.O.1955 dt. 15.6.2015, as below:

Para 8. II. CRZ-II (i) (i) "building shall be permitted only on the land ward side of the existing road or on the landward side of the existing authorised structures".

Para 8. II. "buildings permitted on the landward side of the existing and proposed roads or existing authorized structures shall be subject to the existing local town and country planning regulations as modified from time to time, except the Floor Space Index or Floor Area Ratio, which shall be as per 1991 level".

The project does not attract Environment Clearance under EIA Notification, 2006 as the total built up area is less than 20,000 sq.m. The project requires approval from the Planning Authority after recommendation of Coastal Zone Management Authority as per Para 4(i) (d) of CRZ Notification, 2011.

OCZMA discussed the proposal and decided to grant CRZ clearance under CRZ Notification, 2011,subject to submission of NOC from State Pollution Control Board, Odisha. The clearance is subject to final approval by Local Town Planning Authority.

### **3. Construction of "Luxury Resorts" at plot no. 545/1546, thana- Puri sadar, Mouza-Sipasarubuli, Puri by M/s Jyoti Infrastructure Pvt. Ltd.**

The proposal is for construction of a beach resorts comprising of Basement+ Lower Ground+ Ground+ 5 upper (B+2G+5) floor buildings on land bearing plot no. 545/1546, thana- Puri sadar, Mouza-Sipasarubuli, Puri. The total area of the proposed project is 5.29 Ac. Total built up area will be 19903.06 sq.m, the FAR of the building will be 0.9 and height of the building will be 21 mtrs. Provision for a Parking area of 4470 sqm (40% of the built up area).

- a. The solid waste generated during operation phase is estimated to be 395 kg/day. The biodegradable wastes will be segregated at source and will be used as organic manure inside the premises. The non-degradable wastes will be disposed through the Govt. approved agency. The effluent generated is estimated to be 182 KLD will be treated through STP. The Electricity demand is estimated as approx.1015 KW which will be sourced from TPCODL. For

backup power supply (2 x750 KVA) DG Set will be kept as standby. Water demand of the project will be 213 KLD met from the PHD supply.

- b. The GPS Co-ordinates of the project is (i)  $85^{\circ} 47' 8.08''E$  &  $19^{\circ} 47' 7.74''N$ . (ii)  $85^{\circ} 47' 11.20''E$  &  $19^{\circ} 47' 8.51''N$  (iii)  $85^{\circ} 47' 11.37''E$  &  $19^{\circ} 47' 1.42''N$  (iv)  $85^{\circ} 47' 8.44''E$  &  $19^{\circ} 47' 0.68''N$ . Project location superimposed over the CRZ Map in 1:4000 scale and the report prepared by Institute of Remote Sensing, Anna University, Chennai indicates that the project site falls under CRZ-II area of Puri. As per approved CZMP of 2011, map no. 25, Sheet no. E 45 B 13/SW, the project site is located on the landward side of the existing road.
- c. The building construction is a permissible activity in CRZ area as per CRZ Notification, 2011 and its subsequent amendment vide S.O.1955 dt. 15.6.2015, as below:

Para 8. II. CRZ-II (i) (i) "building shall be permitted only on the land ward side of the existing road or on the landward side of the existing authorised structures".

Para 8. II. "buildings permitted on the landward side of the existing and proposed roads or existing authorized structures shall be subject to the existing local town and country planning regulations as modified from time to time, except the Floor Space Index or Floor Area Ratio, which shall be as per 1991 level".

The proposed project does not attract EIA Notification, 2006 as the total built up area is less than 20,000 sq.m. The project requires approval from the Planning Authority after recommendation of Coastal Zone Management Authority as per Para 4(i) (d) of CRZ Notification, 2011.

OCZMA discussed the proposal and decided to grant CRZ clearance under CRZ Notification, 2011 subject to final approval by Local Town Planning Authority.

#### **4. Construction of Hotel at Matimandapasahi, Puri by Eastern Marines Pvt. Ltd.**

The proposed construction involves G+2 storied hotel building on the land over plot no. 279, Khata No. 221/1, plot no. 279/403, Khata no. 221/92, Mouza-Matimandapa sahi, Puri. The total area for the proposed project is 1218.54 SQ.M. As per the drawing and design, the construction area of all floors will be 528.71sqm. The total built up area of the proposed building will be 1586.15 sqm with an FAR of 1.30. Height of the building will be 11.67 mtrs. There is a provision of an open parking area of 565.79 sq.m. The project Cost is 4.21 Crores.

- a. Water demand of the project is estimated to be 15KLD and will be met from the existing municipality supply. The Electricity demand of the project is estimated to be approx.75 KW which will be sourced from OPTCDL. The solid waste generated will be handed over to the Puri Municipality collection agency. The effluent generated is estimated to be 20KLD will be released to the Municipality sewerage drain.
- b. The GPS Co-ordinates of the project is  $85^{\circ} 49' 20.53''E$  &  $19^{\circ} 47' 55.19''N$ . project location superimposed over the CZMP Approved CRZ Map no.25 in 1:25000 & 1:4000 scale prepared by IRS, Anna University, Chennai indicated that the project site falls under CRZ-II area of Puri

and is about 447.2 m away from the HTL Line. The aforesaid project site falls on the landward side of existing road as per approved CZMP map.

- c. The building construction is a permissible activity in CRZ area as per CRZ Notification, 2011 and its subsequent amendment vide S.O.1955 dt. 15.6.2015, as below:

Para 8. II. CRZ-II (i) (i) "building shall be permitted only on the land ward side of the existing road or on the landward side of the existing authorised structures".

Para 8. II. "buildings permitted on the landward side of the existing and proposed roads or existing authorized structures shall be subject to the existing local town and country planning regulations as modified from time to time, except the Floor Space Index or Floor Area Ratio, which shall be as per 1991 level".

The project does not attract Environment Clearance under EIA Notification, 2006. (Total built up area is less than 20,000 sq.m). The project requires approval from the Planning Authority after recommendation of Coastal Zone Management Authority as per Para 4(i) (d) of CRZ Notification, 2011.

OCZMA discussed the proposal and decided to grant CRZ clearance under CRZ Notification, 2011, subject to submission of NOC from State Pollution Control Board, Odisha. The clearance is subject to final approval by Local Town Planning Authority.

#### **5. Modification of building area for construction of Residential building at Puri by Ekadanta Paradise at Puri.**

The project proponent made a presentation for the Modification of building area for construction of Residential building at Puri.

Earlier project proponent had submitted a proposal for "Construction of Residential builds at Puri of Stilt+3 storied building" vide letter no. Nil dt. 13.07.2018 for CRZ Clearance. The proposal was placed in the 31st meeting of OCZMA held on 25.01.2019 and authority granted CRZ clearance and decided to recommend the proposal to Local Town Planning Authority for grant of approval, subject to submission of the following documents:

- I. Superimposing the project location in 1:4000 scale maps, prepared by and duly authenticated by one of the Authorized agency identified by MoEF&CC, Govt. of India.
- II. Documents on ROR
- III. Land Ownership as per Sabik Record
- IV. NOC from Collector regarding solo ownership.

Accordingly the project proponent has furnished the documents related to above point no. I,II & III. However the NOC from Collector is still awaited.

Now the applicant requested for some modification of the building area for construction.

After deliberation, Authority decided that the proposal will be considered after receipt of NOC from Collector, Puri and accordingly, it was deferred.

6. Improvement of Swargadwar, Puri by Odisha Bridge & Construction Corporation Limited (OBCC).

The project is for improvement of existing Swargadwar of Puri by adding scientific structures for cremation. The improvement facilities include construction of 14 nos. of pyres attached with exhaust system to dispel the fume and dirt to higher outer atmosphere, administrative building and construction hall for waiting accompanied persons for cremation.

The total built up area for the proposed project will be 1628.36 sq.ft. The total plot area of the project is 1.27 Ac. The F.A.R of the construction is 0.32. The project cost is 4.21 Crores.

- a. Water demand of the project is estimated to be 5KLD and will be met from the existing municipality supply. The electricity demand of the project is estimated to be approx. 1.5 KW which will be sourced from TPCOL.
- b. The GPS Co-ordinates of the project is (i)  $19^{\circ} 47' 36.4''N, 85^{\circ} 49' 1.5''E$ , (ii)  $19^{\circ} 47' 36.1''N, 85^{\circ} 49' 3.5''E$ , (iii)  $19^{\circ} 47' 33.9''N, 85^{\circ} 49' 1.49''E$ , (iv)  $19^{\circ} 47' 34.4''N, 85^{\circ} 49' 3.8''E$   
As per the CZMP Approved CRZ Map 2011 MAP no.25, the project under reference falls in CRZ-II area of Puri and is located on the landward side of existing road as per approved CZMP map.
- c. The proposed construction is a permissible activity in CRZ area as per CRZ Notification, 2011 as below:

Para 8. II. CRZ-II (i) (i) "building shall be permitted only on the land ward side of the **existing road** or on the landward side of the existing authorised structures".

Para 8. II. CRZ-II (i) (i) "buildings permitted on the landward side of the existing and proposed roads or existing authorized structures shall be subject to the existing local town and country planning regulations including the 'existing' norms of Floor Space Index or Floor Area Ratio: Provided that no permission for construction of buildings shall be given on landward side of any new roads which are constructed on the seaward side of an existing road:

Para 8. II.(iii) "reconstruction of authorized building to be permitted subject with the existing Floor Space Index or Floor Area Ratio Norms without change the land use pattern"

Para 8.III. CRZ-III (A) (iii)(j) "Construction of dispensaries, school, public rain shelter, community toilets, bridges, roads, provisions of water supply, drainage, sewerage, crematoria, cemeteries and electric substation which are required for the local inhabitants may be permitted on a case to case basis by CZMA.

Para 8. III. CRZ-III (A) (iii)(j) "Construction of dispensaries, school, public rain shelter, community toilets, bridges, roads, provisions of water supply, drainage, sewerage, **crematoria**, cemeteries and electric substation which are required for the local inhabitants may be permitted on a case to case basis by CZMA.

The project does not attract Environment Clearance under EIA Notification, 2006. (Total built up area is less than 20,000 sq.m). The project requires approval from the Planning Authority after recommendation of Coastal Zone Management Authority as per Para 4(i) (d) of CRZ Notification, 2011.

OCZMA discussed the proposal and decided to grant clearance on CRZ angle under CRZ Notification, 2011 subject to final approval by Local Town Planning Authority.

#### **7. Construction of Swosti Premium Beach Resort at Puri by Swosti Primum Ltd.**

The proposed project is for construction of a B+G+13 Floor building over plot no. 696/1555, khata no. 361/169, mouza Sipasarubali. The kissam of the land is Gharabari. The total area of the plot is 2.02 Ac. The built up area of the proposed project will be 14,143.59 sq.m (FAR) area and 5, 581.13 sq.m of non-FAR Area. The total Built up area (FAR +Non-FAR) is 19,724.72sqm. The FAR of the building is 1.88.

- a. Water demand of the project will be 93KLD met from ground water supply and NOC from Central Ground Water Authority has been obtained. The Electricity demand of the project will be approx. 1250 KW which will be sourced from TPCODL. There will be provisions of STP for the treatment of Effluents. & solid waste will be handed over to Municipal collection agency.
- b. The GPS Co-ordinates of the project site are (i)  $19^{\circ} 47' 08.4''N$  &  $85^{\circ} 47' 37.6''E$  (ii)  $19^{\circ} 47' 12.5''N$  &  $85^{\circ} 47' 36.5''E$  (iii)  $19^{\circ} 47' 12.7''N$  &  $85^{\circ} 47' 36.9''E$  (iv)  $19^{\circ} 47' 12.4''N$  &  $85^{\circ} 47' 31.3''E$ . The project proponent submitted CZMP approved CRZ Map 1:25000 scale & 1:4000 scale prepared by the Authorised agency of MoEF&CC which indicates that the reference project site falls in CRZ-II area of Puri and is located landward sides from the HTL line.
- c. The building construction is a permissible activity in CRZ area as per CRZ Notification, 2011 and its subsequent amendment vide S.O.1955 dt. 15.06.2015, as below:

Para 8. II. CRZ-II (i) (i) "building shall be permitted only on the land ward side of the existing road or on the landward side of the existing authorised structures".

Para 8. II. "buildings permitted on the landward side of the existing and proposed roads or existing authorized structures shall be subject to the existing local town and country planning regulations as modified from time to time, except the Floor Space Index or Floor Area Ratio, which shall be as per 1991 level".

The project does not attract Environment Clearance under EIA Notification, 2006, as the total built up area is less than 20,000 sq.m. The project requires approval from the Planning Authority after recommendation of Coastal Zone Management Authority as per Para 4(i) (d) of CRZ Notification, 2011.

OCZMA discussed the proposal and decided to grant CRZ clearance under CRZ Notification, 2011, subject to submission of NOC from State Pollution Control Board, Odisha. The clearance is subject to final approval by Local Town Planning Authority.

#### **8. Construction of pipelines crossing bridge on Santra creek at IOCL Paradip Refinery and petrochemical Complex for PX-PTA and NEECOMAX (GNCU)-CCU Project by Indian Oil Corporation Limited.**

The proposal is for "Construction of pipelines crossing bridge on Santra creek at IOCL Paradip Refinery and petrochemical Complex for PX-PTA and GNCU-CCU Project".

- a. Presently IOCL has commissioned 15.0 MMTPA fuel Refinery at Paradip under Paradip



Refinery Project (PDRP). In addition to fuel products, PDRP included production of some petrochemicals products viz. Polypropylene (PP), Mono Ethylene Glycol (MEG) and Purified Terephthalic Acid (PTA).

- b. Considering the demand of Purified Terephthalic Acid (PTA) and to meet the market potential IOCL proposed to set up an integrated Para-xylene & Purified Terephthalic Acid (PX-PTA) unit of 1.2 MMTPA Capacity each and NEECOMAX Green Needle Coker Unit (GNCU) of 170 KTPA & Coke Calcination Unit (CCU) of 75 KTPA at Paradip inside the Existing complex of IOCL.

Reformate from existing Continuous Catalytic Reforming Unit of Paradip Refinery will be used as feedstock for Paraxylene production in a new PX Unit. PX will be the feedstock for production of PTA. PTA is produced by oxidation of PX in presence of catalyst and solvent (acetic acid). Toulene, Raffinate, Heavy reformate, fuel gas are the by-products of PX production process. PX is targeted for consumption entirely for production of PTA. Toluene, and raffinates are targeted for gasoline blending. Heavy reformate is targeted for blending in Motor spirit. Toluene is targeted for merchant sale. PTA is proposed for merchant sale through Road, Rail and ship.

PTA is a non-hazardous solid white powder which is a raw material to produce polyester staple fibre, polyester filament yarn, bottle and industrial grade polyester resin, chips etc.

- c. The existing IOCL Complex is divided by Santra creek. Thus materials will be transported through pipeline from material storage to production unit through pipeline which involves crossing bridge on Santra creek. The total length of pipeline alongside the bridge is 817 m out of which 443.54 m. is falling under the CRZ area.
- d. The project proponent submitted the route of pipeline superimposing on CRZ Map in 1:4000 scales and the report prepared by Institute of Remote Sensing, Anna University, Chennai, which indicated that the project site is falling in CRZ-II & IV (B) area and the length of the pipeline falls under CRZ-II is 240.4m & in CRZ IV (B) is 203.14 m.

**Crossing of pipeline in different CRZ Zones:**

Description	CRZ - Classification	Length in metres
Pipeline crossings	CRZ - II	240.4
	CRZ - IVB	203.14
Over santra creek	Non - CRZ	428.21
	<b>Total</b>	<b>871.75</b>

- e. **CRZ Permissibility** : The Proposed Project is a Permissible Activity In CRZ area as per CRZ notification 2011 under Para:

Para 3(i) (a) “those directly related to water front or directly needing foreshore facilities”  
 Explanation: The expression “foreshore facilities” means those activities permissible under this notification and they require waterfront for their operations such as ports and harbours, jetties, quays, wharves, erosion control measures, breakwaters, pipelines, lighthouses, navigational safety facilities, coastal police stations and the like.; and

**Para 4. II (d) laying of pipelines, conveying systems, transmission line**

**Para 8(i) (I) (i) (b) “pipeline, conveying systems including transmission lines”**

Para 8(i) (I) (i) (b) "pipeline, conveying systems including transmission lines"

Para 8-(i) CRZ- I. (i) (b) "pipelines, conveying systems including transmission lines"

Para 8-(II) (iv) "Facilities for receipt and storage of petroleum products and liquefied natural gas as specified in Annexure-II appended to this notification.....".

However, the project requires CRZ clearance from MoEF & CC, Govt. of India, under CRZ Notification, 2011 as per Para 4(ii) (d) after being recommended the concerned CZMA.

The project attracts EIA Notification, 2006 and received ToR from MoEF&CC vide letter no. J-11011/395/2012.IA(I) DT. 30.09.2018.

After deliberation, OCZMA consider recommending the proposal to MoEF & CC Govt. of India for grant of CRZ clearance under Para 4 (ii) (b) of CRZ Notification, 2011. It was further advised that project proponent shall take necessary steps to prevent falling of the any chemicals/oils on the water body of the creek from the pipeline passing over the Santra Creek.

The meeting ended with thanks to the Chair and Participants.



Additional Chief Secretary to Govt.,  
Forest & Environment Department  
and Chairman, OCZMA

# 37<sup>th</sup> meeting of the Odisha Coastal Zone Management Authority

Venue: - Virtual Mode (Ms Team)



Date: 30<sup>th</sup> April, 2021  
Time: 11:00 AM

Sl. No.	Participants
1.	Addl. Chief Secretary to Govt. Forest & Environment Department Government of Odisha  <b>CHAIRMAN</b>
2.	Principal Chief Conservator of Forest (WL) and Chief Wildlife Warden, Odisha
3.	Dr. B.R. Subramanian Former Director, ICMAM, Chennai
4.	Director Environment-cum-Special Secretary to Govt., F&E Department and Member Secretary, OCZMA
5.	Member Secretary State Pollution Control Board, Odisha
6.	Chief Executive Chilika Development Authority
7.	Project Director ICZM Project, Odisha
8.	Representative of CCF, Regional Office, MoEF&CC, Bhubaneswar
9.	HoD Marine Science, Berhampur University